



APPLICATION USER GUIDE



Application: Website Security

Version: 3.0

Description: Website Security is an application that allows you to set up an authorization list in order to restrict parts of your website. This list will restrict browser access to specific website directories.

Summary Contents

- 1 INTRODUCTION 3**
- 1.1 NAVIGATION 3
- 2 WEBSITE SECURITY 4**
- 2.1 SET PROTECTION..... 4
- 2.1.1 *Add User* 5
- 2.1.2 *Delete User* 5
- 2.1.3 *Enable security settings*..... 5
- 2.1.4 *Advanced Settings* 6

1 Introduction


The Website Security application allows you to set up an authorization list in order to restrict parts of your website. This list will restrict browser access to specific website directories.

Access to restricted areas of the website can be granted with a username/password combination or by hostname/IP address.

TO LAUNCH WEBSITE SECURITY:

- Click on the **Website Security icon**.

The application opens in a new window.



1.1 Navigation

The main menu is located on the top right corner of Website Security:

- **Set Protection:** allows you to restrict access to certain sections of your website
- **Support:** opens online help files for Website Security in a new window
- **Feedback:** allows you to send feedback concerning Website Security


2 Website Security

2.1 Set Protection

In this section, you will be able to restrict the access to certain sections of your website, create and manage a list of users who will have access to the protected section(s).


TO SET PROTECTION:

1. Select the directory that you want to modify.



The screenshot shows the WebsiteSecurity interface. At the top right, there are links for 'Support' and 'Feedback', and a 'Set Protection' button. Below the header, a text box explains: 'With the Website Security tool you can restrict the access to certain sections of your website, create and manage a list of users who will have access to the protected section.' Below this is a large text area with the prompt 'Please select a directory.' and a list of directories: /.store, /cgi-bin, /esdownload, /logs, /private, /public, /secure, and /secure-cgi-bin. An 'Edit Directory' button is located at the bottom right of the list area.

2. Click **Edit Directory**.



This screenshot is similar to the previous one, but the '/public' directory in the list is highlighted with a blue background, indicating it has been selected. The 'Edit Directory' button remains visible at the bottom right.


3. Add user, enable security.
4. Click **Apply**.

2.1.1 Add User

This section allows you to add a new user.

TO ADD USER:

1. Complete the following:



The screenshot shows a web form for adding a user. On the left, under the heading "Set Username and Password", there are three input fields: "User:", "Password:", and "Confirm Password:". Below these fields is a dark button labeled "Add User". On the right side of the form, there is a dropdown menu labeled "Service is currently" with "Disabled" selected. Below that is a checkbox labeled "Advanced Settings". At the bottom right of the form are two buttons: "Cancel" and "Apply".

- **User** – enter a user
- **Password** – enter a password
- **Confirm Password** – re-enter the password


2. Click **Add User**.

2.1.2 Delete User

This section allows you to delete a user.

TO DELETE USER:

1. Select a user from the drop-down menu.



The screenshot shows a web form for deleting a user. It features a dropdown menu labeled "Delete User from list:" with "tester" selected. Below the dropdown is a dark button labeled "Delete User".


2. Click **Delete User**.

2.1.3 Enable security settings

This section allows you enable the security settings for the selected directory.

TO ENABLE SECURITY:

1. Select enabled from the drop-down



The screenshot shows a web form for enabling security settings. At the top, there is a dropdown menu labeled "Service is currently" with "Disabled" selected. Below it is a checkbox labeled "Advanced Settings". At the bottom of the form are two buttons: "Cancel" and "Apply".


2. Click **Apply**.

2.1.4 Advanced Settings

This section allows you to set Prompt, Site or IP address parameters.

TO SET ADVANCED SETTINGS:

1. Select **Advanced Settings**.



The screenshot shows a dialog box titled "Advanced Settings" with a checked checkbox. It contains a "Set Prompt:" text input field, an unchecked checkbox labeled "Restrict access by hostname or IP address", and an "Add new Site or IP" text input field. Below the "Add new Site or IP" field is an "Add" button. At the bottom of the dialog are "Cancel" and "Apply" buttons.

2. If you would like to set a prompt, enter it into the **Set Prompt** field.
3. If you would like to restrict access by hostname or IP address, enter a new site or IP into the **Add new Site or IP** field. You can restrict access to a directory by hostname or IP address. Before entering a hostname or IP address, ensure that the enable option is set.
4. Click **Add**.
5. Click **Apply**.